



Republic of the Philippines  
TARLAC STATE UNIVERSITY  
**BIDS AND AWARDS COMMITTEE**  
**GOODS AND SERVICES**

Romulo Blvd., San Vicente, Tarlac City

Tel. No.: (045) 982-4630

Website: www.tsu.edu.ph

May 3, 2024

BID BULLETIN No. 1


**Project: Supply and Delivery of Hardware Supplies and  
Materials (APP 2024 – 1<sup>st</sup> Quarter)**

This Bid Bulletin No. 1 is issued to clarify items and shall be an integral part of Bidding Documents.

Please be informed of the modification in the bidding documents.



BIDDING DOCS POSTED TO PHILGEPS	CLARIFICATION/ MODIFICATION IN THE BIDDING DOCUMENTS
Invitation to Bid	Invitation to Bid
9. Bid opening shall be on May 14, 2024, at 2:00 P.M., at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend.	9. Bid opening shall be on May 14, 2024, at 2:00 P.M., at the <b>BAC Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City.</b> Bids will be opened in the presence of the bidders' representatives who choose to attend.
5.1 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the BDS, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to fifty percent (50 %) of the ABC.	5.1 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the BDS, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to <b>twenty five percent (25 %) of the ABC.</b>
Technical Specifications/ Schedule of Prices  <b>Please see attached file for clarification</b>	



  
**DR. GRACE N. ROSETE**  
BAC Chairperson – Goods and Services

Item No.	POSTED TO PHILGEPS	ADDITIONAL INFO TO THE ITEM/ CLARIFICATION	Photo
<b>Lot 1- Air Conditioning Equipment Maintenance and Tools</b>			
2	ACU Thermostat	YTB-17F28 250V Universal	
12	Motor Compressor 49 LRA	49 to 51 LRA only	
<b>Lot. 2 - Replacement Parts for Equipment</b>			
19	Clutch Lining Assembly, for Honda Grass Cutter	GX35 Clutch lining Assy. Compatible for honda grass cutter	
20	Clutch Lining Assembly, for Kawasaki Grass Cutter	TD-40 Clutch lining Assy. For kawasaki grass cutter	

23	Power Spray	 	
24	Spray Gun, Stainless Spray Gun Upper (use for painting spray)	<p>Adjustable spray Pattern  Working Pressure -30-90PSI  Ave. Air Consumption-130L/min  Canister Capacity 900ml  Air Inlet 1/4" BSP  Paint Nozzle 1.3mm  Pressure Feed Bleeder Type  Paint Cup 900ml</p>	

25	Spray Hose, 1/2" (use for painting spray)	Air Hose 1/4" with ply 150 PSI	
<b>Lot 3- Iron Works, Carpentry, Masonry, and Tinsmithry Materials and Tools</b>			
31	Blade, Jig Saw	For wooden works needed	None
33	Bolo Knife H.D.	Same item # 34	
34	Bolo, bolo knife	Bolo with PVC molded handle Metal MUELYE 100% 44 cms long 30 cms blade 4mm thickness 5 cms width Very good quality	
35	Caution tape	Plastic Type Barricade Caution Tape 3inches x 300mtr / roll yellow / black	
44	Drill Hammer	Same as Rotary Hammer	None

48	Hand Drill with Accessories	10mm, 0-3,400 RPM, 1.2kg (450W) Power Supply cord; 6.6ft	None
49	49- Hand Saw	INGCO Hand Saw 20"/500mm (Precision ground teeth 3 edges) fast cut ang long life (use for cutting wood)	None
50	Hand Truck Trolley, Push cart 550kg, 550 load	500 kg load capacity is accepted	
55	Ladder, A Type 10ft	fiber material	None
56	Ladder, Adjustable Ladder 24ft	fiber material	None
58	Lumber, 2" x 2" x 12', S4S	Lumber, 2" x 2" x 12', S4S, kill dry	None
59	Lumber, 2" x 2" x 8' S4S sun dry	Lumber, 2" x 2" x 8' S4S sun dry, kill dry	None
75	Tape Measure, push full ruler	Preferred, 10m	None
77	Wood Chisel	Wood Chisel , 1 inch	None
89	Electrode Holder, For Bench Meters, Compatible with ADWA pH meter electrode.	Electrode Holder, For Bench Meters, Compatible with ADWA pH meter electrode.	

<p>90</p>	<p>Multi-Purpose Lubricant lubricates moving parts such as hinges, wheels, rollers, chains, and gears. It protects against rust and corrosion on items like tools, and sporting equipment. It penetrates to free stuck corroded parts like nuts, bolts, valves and locks. It quickly removes adhesives, corrosion and paint.</p> <p>It displaces moisture to restore water flooded equipment such as engines, spark plugs and power tools. Boiling Point (Initial): 183°C (360°F) Color : Light Amber Cloudy Liquid Solubility In Water: Insoluble Odor: Characteristic</p> <p>Freeze Point/ Pour Point: &lt;-63°C (-81°F ) (Astm D-97) Vapor Density: &gt;1 Voc: 24.5% By Weight Kinematic Viscosity @ 38° C (100° F ) : 2.8 Cst Appearance: Aerosol – Aerosolized Liquid, Bulk - Liquid Flashpoint: 59°C (138°F) (Tcc) Flammable Limits: Lel: 0.6% Uel: 8.0% Vapor Pressure: Aerosol – 95-115 Psi @ 21° C (70° F) Bulk – 1 Psi @ 38° C (100° F) (Astm D323) Specific Gravity @ 25° C (77° F ) : 0.81 Dielectric Strength: 38,000 Volts Per 0.10 Inch Kb Value: 25 Wet Film Thickness: 50 Um (0.002 Inch)</p>		
<p>91</p>	<p>Electric Parts Cleaner, Applications : Sensitive Electromechanical Parts ,Printed Circuit Boards,Drones , 3D Printers, Switches &amp; Controls, Tape Heads, Precision Instruments Boiling Point (Initial): 152-180°F Density: 0.71 Solubility In Water: Partially Soluble Ph: Not Applicable Vapor Pressure: 153 MmHg @ 25°C (N-Hexane) Vapor Density: &gt; 2 (Air=1) Percent Volatile: 100% Voc: 45% Coefficient Of Water/Oil Distribution: Not Determined Appearance/Odor: Clear Liquid/Hydrocarbon Odor Flashpoint: &lt;-29.2°F Tag Closed Cup Flammable Limits: Lel: 1.1% Uel: 17.1%</p>		

**Lot 4 - Electrical Materials**

123 Electrode Tip Guard, Compatible with ADWA pH meter electrode. 2pcs/  
pack



**Lot 6 - Paints and Painting Materials**

198 Handle, adjustable plastic roller handle

Unadjust handle - 1st adjustment



2nd adjustment

